

Appln. S/N 10/787,173
Amdt. dated June 7, 2006
Reply to Office Action dated March 7, 2006

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1. (currently amended) A holster for receiving and retaining a mobile device in a sleeve and a peripheral device, the holster comprising:
a mating structure for releasably retaining the peripheral device in direct electrical contact with the mobile device retained in the sleeve so as to permit the mobile device to charge a battery in the peripheral device through a charging contact extending from the peripheral device,
the holster being capable of accommodating the charging contact extending from the peripheral device.
2. (previously presented) The holster of claim 1, wherein the holster mating structure connects with the peripheral device mating structure to releasably retain the peripheral device so that a charging port of the mobile device is in electrical contact with the charging contact extending from the peripheral device to allow the mobile device to charge the battery in the peripheral device.
3. (original) The holster of claim 2, wherein the charging port is in direct electrical contact with the charging contact.
4. (original) The holster of claim 2, wherein the charging port is in electrical contact with the charging contact through an electrical connector housed in the holster.
5. (original) The holster of claim 4, wherein the electrical connector includes a controller for regulating charging.
6. (original) The holster of claim 2, further including a base for supporting the mobile device in the sleeve, the base having an aperture for receiving the charging contact and allowing it to make electrical contact with the charging port.
7. (previously presented) The holster of claim 1, wherein the holster mating structure is selected from the group consisting of a retaining bracket, a magnet, a tab, a latch, a flange, a hook, a clamp, a friction fit, and a tongue and groove.
8. (original) The holster of claim 1, wherein the mobile device is a cellular phone and the peripheral device is a wireless headset for interaction with the mobile phone.

Appln. S/N 10/787,173
Amdt. dated June 7, 2006
Reply to Office Action dated March 7, 2006

9. (previously presented) The holster of claim 1, wherein the mobile device communicates with the peripheral device on a Bluetooth communication channel.
10. (original) The holster of claim 1, wherein the mobile device is a cellular phone and the peripheral device is a camera for interaction with the mobile phone
11. (currently amended) A holster for receiving and retaining both a peripheral device and a mobile device, the mobile device being retained in a sleeve, the holster comprising:
a mating structure for releasably retaining the peripheral device in direct electrical contact with the mobile device when retained in the sleeve so as to permit the mobile device to charge a battery in the peripheral device.
12. (currently amended) A system for mobile communications comprising:
a mobile device for connecting to a network and providing voice services having a charging port;
a peripheral device for wireless communication with the mobile device, the peripheral device having both a battery and a charging contact; and
a holster for receiving and retaining both the peripheral device and the mobile device so that the charging port and charging contact are in direct electrical contact so as to allow the mobile device to charge the battery of the peripheral device.
13. (presently presented) The system of claim 12, wherein the holster includes a sleeve for releasably retaining the mobile device.
14. (presently presented) The system of claim 12, wherein the holster includes a mating structure for electrically connecting the charging contact and the charging port when both the mobile device and the peripheral device are retained in the holster.
15. (presently presented) The system of claim 14, wherein the mating structure holds the charging contact and charging port in direct electrical contact.
16. (presently presented) The system of claim 14, wherein the charging port is in electrical contact with the charging contact through an electrical connector housed in the mating structure.
17. (presently presented) The system of claim 16, wherein the electrical connector includes a controller for regulating charging.

Appln. S/N 10/787,173
Amdt. dated June 7, 2006
Reply to Office Action dated March 7, 2006

18. (presently presented) The system of claim 13 wherein the holster further includes a base for supporting the mobile device in the sleeve, the base having an aperture for receiving the charging contact and allowing it to make electrical contact with the charging port.
19. (presently presented) The holster of claim 14, wherein the mating structure is selected from the group consisting of a retaining bracket, a magnet, a tab, a latch, a flange, a hook, a clamp, a friction fit, and a tongue and groove.
20. (currently amended) The holster of claim 1, wherein the mobile device is a cellular phone and the peripheral device is selected from a group including a wireless headset for interaction with the cellular phone, a wireless headset for ~~interaction~~ interaction with the cellular phone over a Bluetooth communication channel, and a camera for interaction with the mobile phone.
21. (currently amended) A peripheral device for wireless communication with a mobile device, the peripheral device including:
a battery for receiving and storing a charge; and
a charging contact for providing a charge to the battery when placed in direct electrical contact with a charging port of a mobile device.
22. (presently presented) The peripheral device of claim 21, wherein the peripheral device is a headset.